

Publications before 2015

Bansal*, R., Hulbert, S., Reese, J., Whitworth, J., Stuart, J., Chen, M.-S. (2014) Pyrosequencing reveals the predominance of Pseudomonadaceae in gut microbiome of a gall midge. *Pathogens* 3, 459-472.
doi:10.3390/pathogens3020459

Hulbert, S. H., Pumphrey, M., (2014) A time for more booms and less busts? Unraveling cereal-rust interactions. *Molecular Plant Microbe Interactions* 27:207–214.

Yin*, C., Park, J.-J., Gang, D.R., Hulbert, S.H. (2014) Characterization of a tryptophan 2-monooxygenase gene from *Puccinia graminis* f. sp. *tritici* involved in auxin biosynthesis and rust pathogenicity (2014). *Molecular Plant Microbe Interactions*, 27: 227–235.

Yin*, C., Hulbert, S.H., Schroeder, K.L., Mavrodi, O., Mavrodi, D., Dhingra, A., Schillinger, W, Paulitz. T.C. (2013) The role of bacterial communities in the natural suppression of Rhizoctonia bare patch of wheat. *Applied and Environmental Microbiology*. 79: 7428-7438.

Babiker E.M., Hulbert S.H., Schroeder K., Paulitz T.C. (2013) Evaluation of Brassica species for resistance to Rhizoctonia solani and binucleate Rhizoctonia (*Ceratobasidium* spp.) under controlled environment conditions. *European Journal of Plant Pathology* 136:763-772.

Agostini, A., Johnson, D., Hulbert, S., Fernando, D. Paulitz T. (2013) First Report of Blackleg Caused by *Leptosphaeria maculans* on Canola in Idaho. *Plant Disease*, 97: 842

Xu, L.S. Wang M.N., Cheng P., Kang Z.S., Hulbert S.H., Chen, X.M. (2013) Molecular mapping of a new gene for stripe rust resistance in durum wheat PI 480148 and transferring the gene into common wheat. *Theor. Appl. Genet.* 126:523-533.

Babiker*, E.M., Hulbert, S. H., Paulitz T. C. (2012) *Hyaloperonospora camelinae* on *Camelina sativa* in Washington State: Detection, Seed Transmission, and Chemical Control. *Plant Dis.* 96:1670-1674.

Kincaid, R.L., K.A. Johnson, J.J. Michal, A.C. Huisman, S.H. Hulbert, and W.L. Pan. 2012. Case Study: Production of Silage Containing Biennial Canola and Peas for Use as Forage in a Dairy Rotation. *The Professional Animal Scientist* 28:120-124.

Walsh*, D.T., Babiker*, E.M., Burke, I.C., Hulbert S.H. (2012) Camelina Mutants Resistant to Acetylactate Synthase Inhibitor Herbicides. *Molecular Breeding: Volume* 30:1053-1063

Babiker*, E., Hulbert, S. Schroeder, K., Paulitz, T. (2011) Optimum Timing of Pre-Plant Applications of Glyphosate to Manage Rhizoctonia Root Rot in Barley. *Plant Disease* 95: 304-310.

Bansal*, R, Hulbert, SH, Schemerhorn, B, Reese, JC, Whitworth, RJ, Stuart, JJ, Chen, M-S (2011) Hessian fly-Associated Bacteria: Transmission, Essentiality, and Composition. *PLoS ONE*
doi:10.1371/journal.pone.0023170

Dong*, Y.-L. Yin, C., Hulbert, S.H., Chen, X., Kang, Z. (2011) Cloning and Expression Analysis of Three Secreted Protein Genes from Wheat Stripe Rust Fungus *Puccinia striiformis* f. sp. *tritici*. *World J Microbiol Biotechnol* 27:1261–1265

Nirmala, J., Dradera, T., Lawrence, P.K., Yin*, C. Hulbert, S., Steber, C.M., Steffenson, B.J., Szabo, L.J., von Wettstein, D., Kleinhofs, A. (2011) Concerted Action of Two Avirulent Spore Effectors Activates Reaction to *Puccinia graminis* (Rpg1)-Mediated Cereal Stem Rust Resistance. Proc. Natl. Acad. Sci. USA 108: 14676-14681

Kincaid, R., K. Johnson, J. Michal, S. Hulbert, W. Pan, J. Barbano, and A. Huisman. 2011. Biennial canola for forage and ecosystem improvement in dryland cropping systems. 2011. Advances in Animal Biosciences 2(2):457.

Rouse* MN, Saleh AA, Seck* A., Keeler KH, Travers SE, Hulbert SH and KA Garrett (2011) Genomic and resistance gene homolog diversity of the dominant tallgrass prairie species across the Central U.S. precipitation gradient. PLoS ONE 6(4): e17641. doi:10.1371/journal.pone.0017641

Yin*, C., Hulbert, S. (2011) Prospects for functional analysis of effectors from cereal rust fungi. Euphytica 179:57–67

Yin*, C., Jurgenson, J.E., Hulbert, S. (2011) Development of a Host-induced RNAi System in the Wheat Stripe Rust Fungus *Puccinia striiformis* f. sp. *tritici*. Mol. Plant-Microbe Interact. 24: 554–561

Travers, S. E., Tang, Z. Caragea, D., Garrett, K.A., Hulbert, S. H., Leach, J. E., Bai , J., Saleh, A., Knapp, A.K., Fay, P.A., Nippert, J., Schnable P.S. and M.D. Smith (2010) Spatial and temporal changes in *Andropogon gerardii* transcription profiles in association with climate change. Journal of Ecology 98:374-383

Chen, M-S. Liu, X., Yang, Z., Zhao, H., Shukle, R.H., Stuart, J.J. and S. H. Hulbert (2010) Unusual conservation among genes encoding small secreted salivary gland proteins from a gall midge. BMC Evolutionary Biology; 10:296

Smith*, S.M., Steinau*, M., Trick, H.N. and Hulbert, S.H. (2010) Recombinant Rp1 genes confer necrotic or nonspecific resistance phenotypes. Mol. Genet Genomics 283:591–602

Yin*, C., Jones, K.L., Peterson, D.E., Garrett, K.A., Hulbert, S.H., Paulitz T. C. (2010) Members of soil bacterial communities sensitive to tillage and crop rotation. Soil Biology and Biochemistry 42:2111-2118.

Chintamanani, S, Hulbert, S.H., Johal G.S., Balint-Kurti, P.J. (2010) Identification of a Maize Locus that Modulates the Hypersensitive Defense Response, Using Mutant-Assisted Gene Identification and Characterization (MAGIC) Genetics, 184(3):813-825

Yin*, C., Chen, X., Wang, X., Han, Q., Kang, Z., and Hulbert, S.H. (2009) Generation and analysis of expression sequence tags from haustoria of the wheat stripe rust fungus *Puccinia striiformis* f. sp. *Tritici*. BMC Genomics, 10:626

Kabbage*, M., Leslie, J. F. Hulbert, S. H. Bockus W .W. (2009) Comparison of natural populations of *Mycosphaerella graminicola* from single fields in Kansas and California. Phys. Mol. Plant Pathol. 74: 55–59

Kabbage* M., Leslie, J.F. Zeller, K.A., Hulbert, S.H. and Bockus, W.W. (2008) Genetic diversity of *Mycosphaerella graminicola*, the causal agent of *Septoria tritici* blotch, in Kansas winter wheat. Journal of Agriculture, Food and Environmental Sciences 2:1-9

Manosalva, P.M. Davidson, R.M., Liu, B., Zhu, X., Hulbert, S.H. Leung, H., Leach, J.E. (2008) A Germin-Like Protein Gene Family Functions as a Complex QTL Conferring Broad-Spectrum Disease Resistance in Rice. *Plant Phys.* 149:286-296

Chen, M-S., Zhao, H.-X., Zhu, Y.C., Scheffler, B., Liu, X., Liu, X., Hulbert, S., and Stuart J. J. (2008) Analysis of Transcripts and Proteins Expressed in the Salivary Glands of Hessian Fly (*Mayetiola destructor*) Larvae. *Journal of Insect Physiology* 54 (2008) 1–16

Hulbert, S.H., Bai*, J., Fellers, J.P., Pacheco, M.G. and Bowden, R.L. (2007) Gene Expression Patterns in Near Isogenic Lines for Wheat Rust Resistance Gene Lr34/Yr18. *Phytopathology* 97:1083-1093

Travers, S. E., Smith, M.D., Bai*, J., Hulbert, S.H., Leach, J. E., Schnable, P. S., Knapp, A. K., Milliken, G. A., Fay, P. A., Saleh, A., and Garrett K. A. (2007) Ecological genomics: making the leap from model systems in the lab to native populations in the field. *Front Ecol Environ* 5(1): 19–24

Chen, M-S, Fellers, J.P., Zhu, Y.C., Stuart, J.J., Hulbert, S.H. El-Bouhssini, M. and Liu, X (2006) A superfamily of genes coding for secreted salivary gland proteins from the Hessian fly, *Mayetiola destructor* J. *Insect Sci.* 2006. 6:12

Mateos-Hernandez, M., Singh, R. P., Bowden, R.L., Hulbert, S. H., Gill, B. S. and Brown-Guedira, G. 2006. Targeted mapping of ESTs linked to the adult plant resistance gene Lr46 in wheat using synteny with rice. *Funct. Integr. Genomics.* 6:122-31.

K. A. Garrett, S. H. Hulbert, J. E. Leach, and S. E. Travers (2006) Ecological genomics and epidemiology European Journal of Plant Pathology 115:35-51

Zhao*, B., Lin, X., Poland, J., Trick, H., Leach, J., Hulbert S. (2005) A Maize Resistance Gene Functions against Bacterial Streak Disease in Rice. *Proc. Natl. Acad. Sci. USA* 102:15383-15388.

Smith*, S., Hulbert, S.H. (2005) Recombination events generating a novel Rp1 race specificity. *Mol Plant Microbe Interact.* 18(3):220-8.

Wisser, R.J., Sun*, Q., Hulbert, S.H., Kresovich, S., Nelson R.J. (2005) Identification and characterization of regions of the rice genome associated with broad-spectrum, quantitative disease resistance.

Genetics. 169(4):2277-93

Monosi*, B., Wisser R. J., Pennill*, L. and S.H. Hulbert (2004) Full-Genome analysis of resistance gene homologs in rice. *Theor Appl Genet.* 109(7):1434-47.

Ayliffe M. A., Steinau* M., Park R. F., Cooke L., Pacheco M. G., Hulbert, S. H., Trick H.N., Pryor, A.J. (2004) Aberrant mRNA processing of the maize Rp1-D rust resistance gene in wheat and barley. *Mol. Plant Microbe Interact.* 17(8):853-64

Zhao*, B., Ardales, E.Y., Brasset, E., Claflin, L.E., Leach, J.E., Hulbert, S.H. (2004) The Rxo1/Rba1 locus of maize controls resistance reactions to pathogenic and nonhost bacteria. *Theor. Appl. Genet.* 109:71-79

Zhao*, B., Ardales, E. Y., Raymundo, A., Trick, H., and Leach, J. E., Hulbert, S.H. (2004) The *avrRxo1* gene from the rice pathogen *Xanthomonas oryzae* pv. *oryzicola* confers a nonhost defense reaction on maize with resistance gene *Rxo1*. *Mol. Plant Microbe Interact.* 17:771-779

Smith*, S., Pryor, A., Hulbert, S.H. (2004) Allelic and Haplotypic diversity at the *Rp1* rust resistance locus of maize. *Genetics* 167(4):1939-47.

Ramalingam, J., Vera Cruz, C.M., Kukreja K., Chittoor J.M., Wu J.-L., Lee, S.W., Baraoidan, M., George M.L., Cohen M.B., Hulbert S.H , Leach, J.E., and Leung H. (2003) Candidate defense genes from rice, barley, and maize and their association with qualitative and quantitative resistance in rice. *Mol. Plant Microbe Int.* 16:14-24

Bai*, J., Pennill*, L.A., Ning, J., Lee, S.W., Ramalingam, J., Webb C.A., Zhao, B., Sun, Q., Nelson, J.C., Leach J.E. and Hulbert S.H. (2002) Diversity in Nucleotide Binding Site-Leucine-Rich Repeat Genes in Cereals. *Genome Research*, 12:1871-1884

Webb*, C.A., Richter*, T.E., Collins, N.C., Nicolas, M., Trick, H.N., Pryor, T., Hulbert, S.H. (2002) Genetic and molecular characterization of the maize *rp3* rust resistance locus. *Genetics*, 162:381-394.

Hulbert, S.H., Webb, C.A., Smith, S.M. Sun,Q. (2001) Resistance Gene Complexes: Evolution and Utilization *Ann. Rev. Phytopathol.* 39:285-312.

Sun*, Q., Collins, N., Ayliffe, M., Smith*, S., Drake*, J., Pryor, T., Hulbert, S. (2001) Recombination between paralogues at the *rp1* rust resistance locus in maize. *Genetics* 158: 423-438.

Pataky, J.K., Pate, M.C., and Hulbert, S.H. (2001) Resistance genes in the *rp1* region of maize effective against *Puccinia sorghi* virulent on the *Rp1-D* gene in North America. *Plant Dis.* 85:165-168.

Hulbert, S.H., Drake, J.A. (2000) Rust-Resistant sh2 Sweet Corn Populations. *Hortscience*: 35:145-146.

Collins, N., Drake, J., Ayliffe, M., Sun*, Q., Ellis, J., Hulbert, S.H. Pryor, T. (1999) Molecular characterization of the maize *Rp1-D* rust resistance haplotype and its mutants. *Plant Cell* 11:1365-1376.

Li, W.L., Faris, J.D., Chittoor, J.M., Leach, J.E., Hulbert, S.H., Liu, D.J., Chen, P.D., Gill, B.S. (1999) Genomic mapping of defense response genes in wheat. *Theor. Appl. Genet.* 98:226-233.

Wetzel III, H.C., Hulbert, S. H., & Tisserat, N.A. (1999). Molecular evidence for the presence of *Ophiiosphaerella narmari* n. comb., a cause of spring dead spot of bermudagrass, in North America. *Mycol. Res.* 103 (8): 981-989.

Collins, N.C., Webb*, C.A., Seah, S., Ellis, J.G., Hulbert, S.H. and Pryor, A. (1998) The isolation and mapping of disease resistance gene analogs in maize. *Mol. Plant-Microbe Interact.* 11:242-252.

Hulbert*, S.H. (1998) Arming plants against pathogens. *Trends Plt. Sci.* 3:121-122

Morris, S.W., Vernooij, B., Titatarn, S., Starrett, M., Thomas, S., Bhandhu Falck A., Hulbert, S.H., Uknnes, S. (1998) Induced resistance in maize. *Mol. Plant-Microbe Interact.* 11:643-658.

Delaney*, D.E., Webb*, C.A., Hulbert, S.H. (1998) A novel rust resistance gene in maize showing overdominance. *Mol. Plant-Microbe Interact.* 11:242-245

Hulbert, S.H. (1997) Structure and evolution of the rp1 complex conferring rust resistance in maize. *Annu. Rev. Phytopathol.* 35:293-310.

Hu*, G., Webb*, C.A., Hulbert S.H. (1997) Adult-plant phenotype of the Rp1-DJ compound rust resistance gene in maize. *Phytopathology* 87:236-241.

Hulbert, S.H., Hu*, G., Drake*, J.A. (1997) Kansas rust-resistant sweet corn populations A and B. *Hortscience* 32:1130-1131.

Hu*, G., Hulbert, S.H. (1996) Construction of 'compound' rust resistance genes in maize. *Euphytica*, 87:45-51

Hu*, G., Richter*, T.E. Hulbert, S.H., Pryor A.J. (1996) Disease lesion mimicry caused by mutations at the rust resistance gene Rp1. *The Plant Cell* 8:1367-1376.

Jiang, J., Hulbert, S.H., Gill, B.S., Ward, D.C. (1996) Interphase fluorescence in situ hybridization mapping: a physical mapping strategy for plant species with large complex genomes. *Mol. Gen. Genet.* 252:497-502

Cresse, A.D., Hulbert, S.H., Brown, W.E., Lucas, J.R., Bennetzen, J.L. (1995) Mu1-related transposable elements of maize preferentially insert into low copy number DNA. *Genetics* 140:315-324.

Delaney*, D.E., Friebe, B.R., Hatchett, J.H., Gill, B.S., Hulbert, S.H. (1995) Targeted mapping of rye chromatin in wheat by representational difference analysis. *Genome* 38:458-456.

Delaney*, D., Nasuda, S., Endo, T.R., Gill, B.S., Hulbert, S.H. (1995) Cytologically based physical maps of the group-2 chromosomes of wheat. *Theor. Appl. Genet.* 91:574-581.

Delaney*, D., Nasuda, S., Endo, T.R., Gill, B.S., Hulbert, S.H. (1995) Cytologically based physical maps of the group-3 chromosomes of wheat. *Theor. Appl. Genet.* 91:780-782.

Richter*, T.E., Pryor, T.J., Bennetzen, J.L., Hulbert, S.H., (1995) New rust resistance specificities associated with recombination in the Rp1 complex in maize. *Genetics*: 141:373-381.

Johal, G.S., Hulbert, S.H., Briggs, S.P. (1995) Disease lesion mimics: a model for cell death in Plants. *BioEssays*, 17:685-693.

Sanz-Alferez, S., Richter*, T.E., Hulbert, S.H., Bennetzen, J.L. (1995) The Rp3 disease resistance gene of maize:mapping and characterization of introgressed alleles. *Theor. Appl. Genet.* 91:25-32.

Sun*, Y., Skinner, D.Z., Liang, G.H., Hulbert, S.H. (1994) Phylogenetic analysis of Sorghum and related taxa using internal transcribed spacers of nuclear ribosomal DNA. *Theor. Appl. Genet.* 89:26-32.

Kota, R.S., Gill, B.S., Hulbert, S.H. (1994) Presence of various rye-specific repeated DNA sequences on the midget chromosome of rye. *Genome* 37:614-619.

Hu*, G., Hulbert, S.H. (1994) Involvement of gene conversion in meiotic instability of the Rp1 rust resistance genes of maize. *Genome* 37:742-746.

Tisserat, N.A., Hulbert, S.H., Lowe, K.M. (1994) Selective amplification of rDNA internal transcribed spacer regions to detect *Leptosphaeria korrae* and *Ophiophaerella herpotricha*. *Phytopathology* 84:478-482.

Hulbert, S. H., Sudupak*, M.A., Hong*, K.S., (1993) Genetic relationships between alleles of the Rp1 rust resistance locus of maize. *Mol. Plant-Microbe Int.* 6:387-392.

Hong*, K. S., Richter*, T. E. Bennetzen, J. L. and Hulbert S. H. (1993) Complex, line-specific duplications in maize. *Molecular and General Genetics*. 239:115-121.

Melake Berhan, A., Hulbert, S. H., Butler, L. G. and Bennetzen J. L. (1993) Structure and evolution of the genomes of *Sorghum bicolor* and *Zea mays*. *Theor. Appl. Genet.* 86:598-604.

Sudupak*, M. A., Bennetzen, J. L., Hulbert, S. H. (1993) Unequal exchange and meiotic instability of Rp1 region disease resistance genes. *Genetics*. 133:119-125.

Sauer, K. M., Hulbert S. H. Tisserat, N. A. (1993) Identification of *Ophiophaerella herpotricha* by cloned DNA probes. *Phytopathology* 83:97-102.

Bennetzen J. L. and Hulbert S. H. (1992) Organization, instability and evolution of plant disease resistance genes. *Plant Mol. Biol.* 20:575-580.

Ingels, S. C., Bennetzen, J. L., Hulbert, S. H., Qin M., Ellingboe, A. H. (1992) Mutator transposable elements can occur in clusters in the maize genome. *J. Heredity*. 83:114-118.

Hulbert, S. H. and J. L. Bennetzen (1991) Recombination at the Rp1 locus of Maize. *Mol. Gen. Genet.* 226:377-382.

Hulbert, S. H., Lyons, P. C., Bennetzen, J. L. (1991) Reactions of maize lines carrying Rp resistance genes to isolates of the common rust pathogen, *Puccinia sorghi*. *Plant Dis.* 75:1130-1133.

Tisserat, N., Hulbert, S. H., Nus, A. (1991) Identification of *Leptosphaeria korrae* with cloned DNA probes. *Phytopathology*. 81:917-921.

Francis, D. M., Hulbert, S. H., and Michelmore, R. W. (1990) Genome size and complexity of the obligate fungal pathogen, *Bremia lactucae*. *Exp. Mycol.* 14:299-309.

Hulbert, S. H., T. Richter, J. D. Axtell and J. L. Bennetzen (1990) Genetic mapping and characterization of sorghum and related crops using maize DNA probes. *Proc. Natl. Acad. Sci. USA* 87:4251-4255.

Ilott, T.W., S.H. Hulbert and R.W. Michelmore (1989) A critical analysis of the gene-for-gene interaction between lettuce and *Bremia lactucae*. *Phytopathology* 79:888-897.

Hulbert, S.H., T.W. Ilott, E.J. Legg, S.E. Lincoln, E.S. Lander and R.W. Michelmore. (1988) Genetic analysis of *Bremia lactucae* using restriction fragment length polymorphisms. *Genetics* 120:947-58.

Hulbert, S.H. and R.W. Michelmore. (1988) DNA restriction fragment length polymorphism and somatic variation in the lettuce downy mildew fungus, *Bremia lactucae*. *Molec. Plant-Microbe Interact.* 1:17-24.

Hulbert, S.H. and R.W. Michelmore. (1985) Linkage analysis of genes for resistance to downy mildew (*Bremia lactucae*) in lettuce (*Lactuca sativa*). *Theor. Appl. Genet.* 70:520-528.

Hulbert, S.H. and T. J. Orton. (1984) Genetic and environmental effects on mean maturity and uniformity in broccoli. *J. Amer. Soc. Hort. Sci.* 109(4): 487-490.

Orton, T.J., M.E. Durgan and S.H. Hulbert. (1984) Studies on the inheritance of resistance to *Fusarium oxysporum* f. sp. *apii* in celery. *Plant Disease* 69(7) 574-578.

Orton, T.J., S.H. Hulbert, M.E. Durgan and C.F. Quiros. (1984) UC1, *Fusarium yellows* resistant celery breeding line. *Hortscience* 19(4):594.